18 VOLT POWER-PLUS SAWZALL®

18 VOLT SYSTEM
POWER PLUS

6515-21*
INCLUDES BATTERY PACK, CHARGER, 2-BLADE PACK, AND STEEL CARRYING CASE

6515-22*
INCLUDES TWO BATTERY PACKS, CHARGER, 2-BLADE PACK, AND STEEL CARRYING CASE

** TOOL AVAILABLE WITHOUT BATTERY, CHARGER OR CASE. SEE "-20" MODEL IN SPECS CHART BELOW*

- **Cuts Up To 60 2x4's On A Single Charge**
- **18 Volt, 2.0 Amp-Hr, Power-Plus Battery** Delivers more run time and is compatible with all other MILWAUKEE 18 volt products.
- **Power-Plus One-Hour Universal Charger** Recharges batteries in 1 hour. This charger is compatible with ALL Power-Plus batteries.
- **Powerful 18 Volt Rare Earth Motor Easily Handles All Sawzall Applications**
- **Keyless Quik-Lok™ Blade Clamp** For fast, easy blade change.
- **Fully Serviceable Replaceable Brushes**
- **Accepts Standard 1/2" Shank Sawzall Blades**
- **Trigger Speed Control, Lock-Off Switch**
- **0-2000 SPM**
- **Reverse The Blade For Cutting Upside Down In Confined Areas**
- **Pivot Shoe For Maximum Support Against Work Surface**

INCLUDES NEW 2.4 AMP-HR BATTERY!

6515-27* NEW!
INCLUDES 2.4 AMP-HR BATTERY PACK, CHARGER, 2-BLADE PACK, AND IMPACT RESISTANT CARRYING CASE

EXCLUSIVE 6515-27 FEATURES

- **18 Volt, 2.4 Amp-Hr, Power-Plus Battery** Delivers the most run time and is compatible with all other MILWAUKEE 18 volt products.
- **Heavy-Duty Impact Resistant Carrying Case**

See pages 86-87 for more cordless sawzall details!

SPECIFICATIONS

CATALOG NUMBER	VOLTS DC	NO. OF BATTERIES INCLUDED	BATTERY CAPACITY AMP-HRS	LENGTH OF STROKE	STROKES PER MINUTE	OVERALL LENGTH	NET WGT. LBS.	SHIP. WGT LBS.
• 6515-20	18	0	NA	1"	0-2000	18.25"	6.54	7.1
6515-21	18	1	2.0	1"	0-2000	18.25"	8.25	19.75
6515-22	18	2	2.0	1"	0-2000	18.25"	8.25	20.5
6515-27	18	1	2.4	1"	0-2000	18.25"	8.25	17.0

STANDARD EQUIPMENT: FOR 6515-20• – Includes Power-Plus Sawzall. **FOR 6515-21–** Includes Power-Plus Sawzall, Power-Plus Universal One-Hour Charger, One 18 Volt Power-Plus Battery, Super Sawzall Two-Blade Pack and Steel Carrying Case. **FOR 6515-22 –** Includes Power-Plus Sawzall, Power-Plus Universal One-Hour Charger, Two 18 Volt Power-Plus Batteries, Super Sawzall Two-Blade Pack and Steel Carrying Case. **FOR 6515-27–** Includes Power-Plus Sawzall, Power-Plus Universal One-Hour Charger, One 18 Volt 2.4 Amp-Hr Power-Plus Battery, Super Sawzall Two-Blade Pack and Impact Resistant Carrying Case.

• Tool only, less battery, charger and case.

ACCESSORIES

18 VOLT POWER-PLUS BATTERY PACKS

48-11-2200 18 Volt, 2.0 Amp-Hr
48-11-2230 **NEW** 18 Volt, 2.4 Amp-Hr

POWER-PLUS ONE-HOUR UNIVERSAL CHARGER

48-59-0245 **NEW** Charges 18 Volt 2.0 Amp-Hr batteries in 1 hour. Compatible with **ALL** MILWAUKEE Power-Plus batteries.

POWER-PLUS ONE-HOUR VEHICLE CHARGER

48-59-0184 **NEW** Plugs into vehicle's cigarette lighter. Compatible with **ALL** MILWAUKEE Power-Plus batteries, including NiCad and NiMH.

CARRYING CASES

48-55-1516 Steel 18V Sawzall carrying case.
48-55-3050 **NEW** Impact resistant carrying case.

HEAVY-DUTY

18 VOLT POWER-PLUS 6-1/2" CIRCULAR SAW

18 VOLT SYSTEM
POWER PLUS



- **Cuts More 2 X 4's Per Battery Charge Than Any Other Cordless Circular Saw**
- **Easily Cuts All 2X Material at 45° Bevel Angle**
- **Power-Plus One-Hour Universal Charger**
  Recharges batteries in 1 hour. This charger is compatible with ALL Power-Plus batteries.
- **18 Volt, 2.4 Amp-Hr, Power-Plus Battery**
  Delivers the most run time and is compatible with all other MILWAUKEE 18 volt products.
- **Large 50° Bevel Capacity**
- **Superior Balance**
- **Powerful Milwaukee Designed Motor**
- **Electric Brake For Quick Stops**
- **3200 RPM For Fast Cutting**
- **Comfortable Soft-Grip Handle**
- **All-Metal Upper And Lower Guards**

6310-22* NEW!

INCLUDES TWO 2.4 AMP-HR BATTERY PACKS, CHARGER, (1) 6-1/2" 24 TOOTH ENDURANCE BLADE AND IMPACT RESISTANT CARRYING CASE

**TOOL AVAILABLE WITHOUT BATTERY, CHARGER OR CASE. SEE "-20" MODEL IN SPECS CHART BELOW*

Ideal For Trimming Wood Doors

ACCESSORIES

18 VOLT POWER-PLUS BATTERY PACKS

48-11-2230 **NEW** 18 Volt, 2.4 Amp-Hr

POWER-PLUS ONE-HOUR UNIVERSAL CHARGER

48-59-0245 **NEW** Charges 18 Volt 2.0 Amp-Hr batteries in 1 hour. Compatible with **ALL** MILWAUKEE Power-Plus batteries.

POWER-PLUS ONE-HOUR VEHICLE CHARGER

48-59-0184 **NEW** Plugs into vehicle's cigarette lighter. Compatible with **ALL** MILWAUKEE Power-Plus batteries, including NiCad and NiMH.

IMPACT RESISTANT CARRYING CASE

48-55-1300 **NEW** Standard equipment with 6310-22

ENDURANCE™ BLADES

48-40-4108 **NEW** 6-1/2" 24 TPI Carbide Blade for Framing/Ripping

48-40-4112 **NEW** 6-1/2" 40 TPI Carbide Blade for Trim/Finish

RIP FENCE GUIDE

49-22-1001 **NEW** Rip Fence for 6310-20 and 6310-22

SPECIFICATIONS

CATALOG NUMBER	VOLTS DC	NO. OF BATTERIES INCLUDED	BATTERY CAPACITY AMP-HRS	NO LOAD RPM	ARBOR SIZE	DEPTH OF CUT AT 90°	DEPTH OF CUT AT 45°	DEPTH OF CUT AT 50°	LENGTH W/O BATTERY	LENGTH W/ BATTERY	NET WGT. LBS.	SHIP. WGT LBS.
• **6310-20**	18	0	NA	3200	5/8"	2.12"	1.56"	1.40"	12.75	15.5	9.02	8.5
6310-22	18	2	2.4	3200	5/8"	2.12"	1.56"	1.40"	12.75	15.5	9.02	26.9

STANDARD EQUIPMENT: FOR 6310-20• – Includes Power-Plus Circular Saw and 6-1/2" 24-Tooth Blade 48-40-4108 and Allen Wrench 49-96-0080. **FOR 6310-22 –** Includes Power-Plus Circular Saw, Power-Plus Universal One-Hour Charger, Two 18 Volt 2.4 Amp-Hr. Power-Plus Batteries, 6-1/2" 24-Tooth Blade 48-40-4108, Rip Fence Guide 49-22-1001, Allen Wrench 49-96-0080 and Impact Resistant Carrying Case.

• Tool only, less battery, charger and case.

18 VOLT POWER-PLUS 1/2" HAMMER-DRILLS

NOW WITH 2.4 AMP-HR BATTERIES!

1/2" PISTOL GRIP HAMMER-DRILL

0523-22* (KIT)

INCLUDES TWO BATTERY PACKS, CHARGER AND IMPACT RESISTANT CARRYING CASE

1/2" T-HANDLE HAMMER-DRILL

0524-22* (KIT)

INCLUDES TWO BATTERY PACKS, CHARGER AND IMPACT RESISTANT CARRYING CASE

*TOOL AVAILABLE WITHOUT BATTERY, CHARGER OR CASE. SEE "-20" MODELS IN SPECS CHART BELOW

1/2" T-HANDLE HAMMER-DRILL NEW!

0524-24 (KIT)

INCLUDES ALL-METAL CHUCK TWO BATTERY PACKS, CHARGER AND IMPACT RESISTANT CARRYING CASE

18 VOLT SYSTEM POWER-PLUS

- **Powerful 18 Volt Motor**
  Develops 400 In.-Lbs. maximum torque.
- **18 Volt, 2.4 Amp-Hr, Power-Plus Battery**
  Delivers the most run time and is compatible with all other MILWAUKEE 18 volt products.
- **Power-Plus One-Hour Universal Charger**
  Recharges batteries in 1 hour. This charger is compatible with ALL Power-Plus batteries.
- **Reversible Battery Pack Fits Into Cramped Work Spaces And Adjusts Balance**
- **Two Speed Ranges 0-500 And 0-1600 RPM**
- **Hammer Action Produces 20,800 BPM**
- **Variable Speed Switch With Electric Brake**
  Spindle stops quickly for repetitive work.
- **Ideal For High Torque Level Applications**
  Five metal planetary gears for high torque performance and durability.
- **20 Position Torque Adjustment**
  For precise adjustment of screw into workpiece.

TORQUE FOR CLUTCH SETTINGS										
1	3	5	7	9	11	13	15	17	19	20
4	9	14	25	35	46	53	60	70	80	85

0523-22 MODEL FEATURES

- **Pistol Design Allows More In-Line Force With The Bit**
  Soft grip handle pad reduces pressure points and provides a non-slip surface.
- **1/2" Grip-Lok™ Keyless Chuck**
  With hardened jaws for high gripping torque.

0524-22 MODEL FEATURES

- **T-Handle Design Provides Optimum Balance And Comfort**
  Soft grip handle pad reduces pressure points and provides a non-slip surface.
- **1/2" Grip-Lok™ Keyless Chuck**
  With hardened jaws for high gripping torque.

0524-24 MODEL FEATURES

- **1/2" All-Metal Grip-Lok™ Keyless Chuck**
  For extreme durability.

SPECIFICATIONS

CATALOG NUMBER	VOLTS DC	SPEED RPM HIGH	SPEED RPM LOW	NO LOAD BPM	DRILL MAX. TQ. IN.-LBS.	BATTERY AMP-HRS.	LENGTH	NET WGT. LBS.	SHIP. WGT. LBS.
• 0523-20	18	0-1600	0-500	0-20,800	400	2.4	12.75"	5.9	7.0
0523-22 KIT	18	0-1600	0-500	0-20,800	400	2.4	12.75"	5.9	14.8
• 0524-20	18	0-1600	0-500	0-20,800	400	2.4	10.5"	6.0	7.0
0524-22 KIT	18	0-1600	0-500	0-20,800	400	2.4	10.5"	6.0	14.9
0524-24 KIT	18	0-1600	0-500	0-20,800	400	2.4	10.5"	6.0	14.9

STANDARD EQUIPMENT: FOR 0523-20• – 1/2" Pistol Grip Hammer-Drill with Keyless Chuck. **FOR 0523-22** – 1/2" Pistol Grip Hammer-Drill with Keyless Chuck, Two Power-Plus 2.4 Amp-Hr. Power-Plus Battery Packs, Power-Plus Universal One-Hour Charger and Impact Resistant Carrying Case. **FOR 0524-20•** – 1/2" T-Handle Hammer-Drill with Keyless Chuck. **FOR 0524-22** – 1/2" T-Handle Hammer-Drill with Keyless Chuck, Two Power-Plus 2.4 Amp-Hr. Power-Plus Battery Packs, Power-Plus Universal One-Hour Charger and Impact Resistant Carrying Case. **FOR 0524-24** – 1/2" T-Handle Hammer-Drill with All-Metal Keyless Chuck, Two Power-Plus 2.4 Amp-Hr. Power-Plus Battery Packs, Power-Plus Universal One-Hour Charger and Impact Resistant Carrying Case.

• Tool only, less battery, charger and case.

ACCESSORIES

18 VOLT POWER-PLUS BATTERY PACKS

48-11-2200 18 Volt, 2.0 Amp-Hr

48-11-2230 NEW 18 Volt, 2.4 Amp-Hr

POWER-PLUS ONE-HOUR UNIVERSAL CHARGER

48-59-0245 NEW Charges 18 Volt 2.0 Amp-Hr batteries in 1 hour. Compatible with **ALL** MILWAUKEE Power-Plus batteries.

POWER-PLUS ONE-HOUR VEHICLE CHARGER

48-59-0184 NEW Plugs into vehicle's cigarette lighter. Compatible with **ALL** MILWAUKEE Power-Plus batteries, including NiCad and NiMH.

IMPACT RESISTANT CARRYING CASE

48-55-3015 NEW Standard equipment with 0523-22 and 0524-22.

18 VOLT POWER-PLUS 1/2" DRIVER/DRILLS

1/2" PISTOL GRIP DRIVER/DRILL

0521-21* (KIT)

INCLUDES BATTERY PACK, CHARGER AND IMPACT RESISTANT CARRYING CASE

0521-22* (KIT)

INCLUDES TWO BATTERY PACKS, CHARGER AND IMPACT RESISTANT CARRYING CASE

1/2" T-HANDLE DRIVER/DRILL

0522-21* (KIT)

INCLUDES BATTERY PACK, CHARGER AND IMPACT RESISTANT CARRYING CASE

0522-22* (KIT)

INCLUDES TWO BATTERY PACKS, CHARGER AND IMPACT RESISTANT CARRYING CASE

INCLUDES NEW 2.4 AMP-HR BATTERY!

1/2" T-HANDLE DRIVER/DRILL

0522-24 (KIT) NEW!

INCLUDES ALL-METAL CHUCK TWO BATTERY PACKS, CHARGER AND IMPACT RESISTANT CARRYING CASE

*TOOL AVAILABLE WITHOUT BATTERY, CHARGER OR CASE. SEE "-20" MODELS IN SPECS CHART BELOW

SPECIFICATIONS

	CATALOG NUMBER	VOLTS DC	DRILL SPEED RPM HIGH	DRILL SPEED RPM LOW	DRILL MAX. TQ. IN.-LBS.	BATTERY AMP-HRS	LENGTH	NET WGT. LBS.	SHIP. WGT. LBS.
•	**0521-20**	18	0-1500	0-450	400	—	11.5"	5.6	6.6
	0521-21 KIT	18	0-1500	0-450	400	2.0	11.5"	5.6	11.7
	0521-22 KIT	18	0-1500	0-450	400	2.0	11.5"	5.6	14.0
•	**0522-20**	18	0-1500	0-450	400	—	10.25"	5.6	6.6
	0522-21 KIT	18	0-1500	0-450	400	2.0	10.25"	5.6	11.7
	0522-22 KIT	18	0-1500	0-450	400	2.0	10.25"	5.6	14.0
	0522-24 KIT	18	0-1500	0-450	400	2.4	10.25"	5.6	14.0

STANDARD EQUIPMENT: FOR 0521-20 – 1/2" Pistol-Grip Driver/Drill with Keyless Chuck. **FOR 0521-21** – 1/2" Pistol-Grip Driver/Drill with Keyless Chuck, 2.0 Amp-Hr. Power-Plus Battery Pack, Power-Plus One-Hour Universal Charger and Impact Resistant Carrying Case. **FOR 0521-22** – Same As 0521-21 But With Two 2.0 Amp-Hr. Power-Plus Battery Packs. **FOR 0522-20**– 1/2" T-Handle Driver/Drill with Keyless Chuck. **FOR 0522-21**– 1/2" T-Handle Driver/Drill with Keyless Chuck, 2.0 Amp-Hr. Power-Plus Battery Pack, Power-Plus One-Hour Universal Charger and Impact Resistant Carrying Case. **FOR 0522-22** – Same As 0522-21 But With Two 2.0 Amp-Hr. Power-Plus Battery Packs. **FOR 0522-24** – 1/2" T-Handle Driver/Drill with All-Metal Keyless Chuck, Two 2.4 Amp-Hr. Power-Plus Battery Packs, Power-Plus One-Hour Universal Charger and Impact Resistant Carrying Case.

• Tool only, less battery, charger and case.

18 VOLT SYSTEM POWER-PLUS

20 POSITION TORQUE ADJUSTMENT • TWO-SPEED 0-450 AND 0-1500 RPM

- **18 Volt, 2.0 Amp-Hr, Power-Plus Battery**
- **Power-Plus One-Hour Universal Charger**
  Recharges batteries in 1 hour. This charger is compatible with ALL Power-Plus batteries.
- **Powerful 18 Volt Motor**
  Develops 400 In.-Lbs. maximum torque.
- **Reversible Battery Pack**
  Fits into cramped work spaces and adjusts balance.

- **Two Speed Ranges 0-450 And 0-1500 RPM**
- **Variable Speed Switch With Electric Brake**
  Spindle stops quickly for optimal efficiency in repetitive work.
- **Ideal For High Torque Level Applications**
  Five planetary gears for high torque performance and durability.
- **1/2" Keyless Chuck**
  With hardened jaws for high gripping torque.
- **20 Position Torque Adjustment**
  For precise adjustment of screw into workpiece.

TORQUE FOR CLUTCH SETTINGS										
1	3	5	7	9	11	13	15	17	19	20
14	21	31	44	53	64	77	85	91	98	105

0521-21 & 0521-22 MODELS FEATURE

- **Pistol Design Allows More In-Line Force With The Bit**
  Soft grip handle pad reduces pressure points and provides a non-slip surface.

0522-21 & 0522-22 MODELS FEATURE

- **T-Handle Design Provides Optimum Balance And Comfort**
  Soft grip handle pad reduces pressure points and provides a non-slip surface.

0522-24 MODEL FEATURES

- **1/2" All-metal Grip-Lok™ Keyless Chuck**
  For extreme durability.
- **18 Volt, 2.4 Amp-Hr, Power-Plus Battery**
  Delivers the most run time and is compatible with all other Milwaukee 18 volt products

ACCESSORIES

18 VOLT POWER-PLUS BATTERY PACKS

48-11-2200 18 Volt, 2.0 Amp-Hr

48-11-2230 **NEW** 18 Volt, 2.4 Amp-Hr

POWER-PLUS ONE-HOUR UNIVERSAL CHARGER

48-59-0245 **NEW** Charges 18 Volt 2.0 Amp-Hr batteries in 1 hour. Compatible with **ALL** MILWAUKEE Power-Plus batteries.

POWER-PLUS ONE-HOUR VEHICLE CHARGER

48-59-0184 **NEW** Plugs into vehicle's cigarette lighter. Compatible with **ALL** MILWAUKEE Power-Plus batteries, including NiCad and NiMH.

CARRYING CASES

48-55-3015 Impact resistant carrying case.

18 VOLT POWER-PLUS "D" HANDLE DRILL & R.A.D.

18 VOLT SYSTEM
POWER-PLUS

1109-21* (KIT)

INCLUDES BATTERY, CHARGER AND STEEL CARRYING CASE

*TOOL AVAILABLE WITHOUT BATTERY, CHARGER OR CASE. SEE "-20" MODEL IN SPECS CHART BELOW

1109-24* (KIT) NEW!

INCLUDES ALL-METAL CHUCK, 2.4 AMP-HR BATTERY, CHARGER AND IMPACT RESISTANT CARRYING CASE

INCLUDES NEW 2.4 AMP-HR BATTERY!

3109-21 (KIT)

INCLUDES BATTERY, CHARGER, R.A.D. ASSEMBLY AND STEEL CARRYING CASE

3109-24 (KIT) NEW!

INCLUDES ALL-METAL CHUCK, 2.4 AMP-HR BATTERY, CHARGER, R.A.D. ASSEMBLY AND IMPACT RESISTANT CARRYING CASE

INCLUDES NEW 2.4 AMP-HR BATTERY!

- **Drills Up To 80 Holes with a 1" Auger Bit On A Single Charge**
- **18 Volt, 2.0 Amp-Hr, Power-Plus Battery** Delivers more run time and is compatible with all other MILWAUKEE 18 volt products.
- **Power-Plus One-Hour Universal Charger** Charger is compatible with ALL Power-Plus batteries.
- **Powerful 18 Volt Rare Earth Motor** For high torque.
- **Trigger Speed Control**
- **Double Reduction Gear Train**

18 VOLT R.A.D. FEATURES



- **Head And Handle Swivel 360°** Can be locked tight in any position to fit in close quarters between wall studs or floor joists.
- **Increased Torque For Large Hole Drilling** RAD Assembly reduces tool speed, increases torque to drill up to 2-9/16" holes in 2 x 4 with Selfeed Bit.
- **0-335 And 0-750 RPM With RAD Assembly**

EXCLUSIVE 1109-24 AND 3109-24 FEATURES

- **18 Volt, 2.4 Amp-Hr, Power-Plus Battery** Delivers the most run time and is compatible with all other MILWAUKEE 18 volt products.
- **1/2" All-Metal Grip-Lok™ Keyless Chuck** For extreme durability.
- **Heavy-Duty Impact Resistant Carrying Case**

SPECIFICATIONS

	CATALOG NUMBER	NO. OF BATTERIES INCLUDED	CAPACITY STEEL	VOLTS DC	BATTERY CAPACITY AMP-HRS	DRILL ONLY RPM	RPM W/RAD LOW SIDE	RPM W/RAD HIGH SIDE	NET WGT. LBS.	SHIP. WGT. LBS.
•	**1109-20 D-HANDLE**	0	1/2"	18	2.0	0-500	—	—	5.35	7.35
	1109-21 D-HANDLE KIT	1	1/2"	18	2.0	0-500	—	—	7.75	21.5
	1109-24 D-HANDLE KIT	1	1/2"	18	2.4	0-500	—	—	7.75	18.7
	3109-21 R.A.D. KIT	1	1/2"	18	2.0	0-500	0-335	0-750	10.75	22.5
	3109-24 R.A.D. KIT	1	1/2"	18	2.4	0-500	0-335	0-750	10.75	19.7

STANDARD EQUIPMENT: FOR 1109-20• – D-Handle Drill and Side Handle 49-15-0151. **FOR 1109-21–** D-Handle Drill, Side Handle 49-15-0151, Power-Plus Universal One-Hour Charger, 18 Volt Power-Plus Battery Pack and Steel Carrying Case. **FOR 1109-24–** D-Handle Drill, Side Handle 49-15-0151, Power-Plus Universal One-Hour Charger, 18 Volt 2.4 Amp-Hr Power-Plus Battery Pack and Impact Resistant Carrying Case. **FOR 3109-21–** D-Handle Drill, RAD Assembly 48-06-2871, Side Handle 49-15-0151, Power-Plus Universal One-Hour Charger, 18 Volt Power-Plus Battery Pack and Steel Carrying Case. **FOR 3109-24–** D-Handle Drill, RAD Assembly 48-06-2871, Side Handle 49-15-0151, Power-Plus Universal One-Hour Charger, 18 Volt 2.4 Amp-Hr Power-Plus Battery Pack and Impact Resistant Carrying Case.

• Tool only, less battery, charger and case.

ACCESSORIES

R.A.D. ASSEMBLY

48-06-2871 Standard equipment with 3109-21. Allow 5-1/2" for right angle drill head and chuck.

18 VOLT POWER-PLUS BATTERY PACKS

48-11-2200 18 Volt, 2.0 Amp-Hr

48-11-2230 **NEW** 18 Volt, 2.4 Amp-Hr

POWER-PLUS ONE-HOUR UNIVERSAL CHARGER

48-59-0245 **NEW** Charges 18 Volt 2.0 Amp-Hr batteries in 1 hour. Compatible with **ALL** Milwaukee Power-Plus batteries.

POWER-PLUS ONE-HOUR VEHICLE CHARGER

48-59-0184 **NEW** Plugs into vehicle's cigarette lighter. Compatible with **ALL** MILWAUKEE Power-Plus batteries, including NiCad and NiMH.

CARRYING CASE

48-55-0830 Steel carrying case.

48-55-3050 **NEW** Impact resistant carrying case.

18 VOLT POWER-PLUS 3/4" ROTARY HAMMER

18 VOLT SYSTEM
POWER-PLUS

5361-21* (KIT)

INCLUDES BATTERY, CHARGER, SIDE HANDLE, DEPTH GAUGE AND STEEL CARRYING CASE

**TOOL AVAILABLE WITHOUT BATTERY, CHARGER OR CASE. SEE "-20" MODEL IN SPECS CHART BELOW*

5361-24* (KIT)

INCLUDES 2.4-AMP-HR BATTERY, CHARGER, SIDE HANDLE, DEPTH GAUGE AND IMPACT RESISTANT CARRYING CASE

- **Drills Up To 45 Holes 1/4"x 1-1/2" Deep In Concrete On A Single Charge**
- **18 Volt, 2.0 Amp-Hr, Power-Plus Battery** Delivers more run time and is compatible with all other MILWAUKEE 18 volt products.
- **Power-Plus One-Hour Universal Charger** Recharges batteries in 1 hour. This charger is compatible with ALL Power-Plus batteries.
- **1-3/4" Core Bit Capacity**
- **Powerful 18 Volt Rare Earth Motor Easily Handles All Drilling Applications**
- **Compatible With Both SDS-Plus And TE-C Style Bits**
- **Trigger Speed Control** Allows easy hole piloting.
- **Two Mode Operation: Rotation With Hammer or Rotation Only**
- **Internal Clutch Protects Gearbox**
- **Lock-Off Switch**
- **Fully Adjustable Side Handle Rotates 360°**
- **Powerful Electro-Pneumatic Hammer Action**
- **Ball And Roller Bearings**
- **Depth Gauge For Drilling Holes To Preset Depth**

EXCLUSIVE 5361-24 FEATURES

- **18 Volt, 2.4 Amp-Hr, Power-Plus Battery** Delivers the most run time and is compatible with all other MILWAUKEE 18 volt products.
- **Heavy-Duty Impact Resistant Carrying Case**

SPECIFICATIONS

CATALOG NUMBER	VOLTS DC ONLY	NO. OF BATTERIES INCLUDED	BATTERY CAPACITY AMP-HRS	NO LOAD BLOWS PER MIN.	NO LOAD RPM	SOLID BIT CAPACITY	CORE BIT CAPACITY	LENGTH WITH BATTERY	NET WGT. LBS.	SHIP WGT. LBS.
• 5361-20	18	0	—	0-3900	0-850	3/4"	1-3/4"	17-1/2"	7	7.6
5361-21 KIT	18	1	2.0	0-3900	0-850	3/4"	1-3/4"	17-1/2"	9.5	20.5
5361-24 KIT	18	1	2.4	0-3900	0-850	3/4"	1-3/4"	17-1/2"	9.5	17.7

STANDARD EQUIPMENT: FOR 5364-20• – 18 Volt Rotary Hammer, Side Handle and Depth Gauge. **FOR 5361-21 –** 18 Volt Rotary Hammer, 18 Volt Power-Plus Battery, Power-Plus Universal Charger, Side Handle, Depth Gauge and Steel Carrying Case.
FOR 5361-24 – 18 Volt Rotary Hammer, 18 Volt 2.4 Amp-Hr Power-Plus Battery, Power-Plus Universal Charger, Side Handle, Depth Gauge and Impact Resistant Carrying Case.

• Tool only, less battery, charger and case.

ACCESSORIES

18 VOLT POWER-PLUS BATTERY PACKS

48-11-2200 18 Volt, 2.0 Amp-Hr
48-11-2230 **NEW** 18 Volt, 2.4 Amp-Hr

POWER-PLUS ONE-HOUR UNIVERSAL CHARGER

48-59-0245 **NEW** Charges 18 Volt 2.0 Amp-Hr batteries in 1 hour. Compatible with **ALL** MILWAUKEE Power-Plus batteries.

POWER-PLUS ONE-HOUR VEHICLE CHARGER

48-59-0184 **NEW** Plugs into vehicle's cigarette lighter. Compatible with **ALL** MILWAUKEE Power-Plus batteries, including NiCad and NiMH.

CARRYING CASE

48-55-0556 Standard equipment with 5361-21.
48-55-3050 **NEW** Impact resistant carrying case.

Milwaukee®

18 VOLT POWER-PLUS ACCESSORIES

18 VOLT SYSTEM
POWER-PLUS

18 VOLT POWER-PLUS SYSTEM ACCESSORIES

	ACCESSORY	CATALOG NO.	DESCRIPTION	TOOLS COMPATIBLE WITH:
	2.0 A-H POWER-PLUS 18 VOLT BATTERY	48-11-2200	2.0 Amp-Hr battery delivers more run time and is compatible with 18 volt Power-plus products listed at right.	All 18 Volt Power-Plus Tools and Work Lights except: 6516-20 • 6516-21 • 6516-22 • 6516-23 • 1108-20 • 1108-21 • 3108-21 • 5364-20 • 5364-21
	2.4 A-H POWER-PLUS 18 VOLT BATTERY	48-11-2230	**NEW** 2.4 Amp-Hr battery delivers the most run time and is compatible with 18 volt Power-plus products listed at right.	All 18 Volt Power-Plus Tools and Work Lights except: 6516-20 • 6516-21 • 6516-22 • 6516-23 • 1108-20 • 1108-21 • 3108-21 • 5364-20 • 5364-21
	POWER-PLUS ONE-HOUR UNIVERSAL CHARGER	48-59-0245	**NEW** Compatible with **ALL** MILWAUKEE Power-Plus batteries.	All 18, 14.4 and 12 Volt Power-Plus Tools and Work Lights
	POWER-PLUS ONE-HOUR VEHICLE CHARGER	48-59-0184	**NEW** Plugs into vehicle's cigarette lighter. Compatible with **ALL** MILWAUKEE Power-Plus batteries.	All 18, 14.4 and 12 Volt Power-Plus Tools and Work Lights

MORE 18 VOLT POWER-PLUS ACCESSORIES

	ACCESSORY	CATALOG NO.	DESCRIPTION	TOOLS COMPATIBLE WITH:
	2.0 A-H POWER-PLUS 18 VOLT BATTERY	48-11-2100	2.0 Amp-Hr battery delivers more run time and is compatible with 18 volt Power-plus products listed at right.	6516-20 • 6516-21 • 6516-22 • 6516-23 • 1108-20 • 1108-21 • 3108-21 • 5364-20 • 5364-21
	POWER-PLUS II CHARGER	48-59-0241	Charges 18 Volt 2.0 Amp-Hr batteries in 40 minutes or less. Compatible with all MILWAUKEE Power-Plus Ni-Cad batteries.	6516-20 • 6516-21 • 6516-22 • 6516-23 • 1108-20 • 1108-21 • 3108-21 • 5364-20 • 5364-21
	STEEL CARRYING CASE	48-55-1516	Heavy-Duty steel carrying case.	6515-20 • 6515-21 • 6515-22
		48-55-0830	Heavy-Duty steel carrying case.	1109-20 • 1109-21 • 3109-21
		48-55-0556	Heavy-Duty steel carrying case.	5361-20 • 5361-21
	IMPACT RESISTANT CARRYING CASE (LARGE	48-55-3000	**NEW** Heavy-Duty impact resistant carrying case with metal latches.	6515-23 • 6515-24 • 6515-26
	IMPACT RESISTANT CARRYING CASE (SMALL)	48-55-3015	**NEW** Heavy-Duty impact resistant carrying case with steel latches. Smaller version of the 48-55-3000.	All 18 Volt Power-Plus Driver/Drills and Hammer-Drills
	IMPACT RESISTANT D-HANDLE CARRYING CASE (SMALL)	48-55-3050	**NEW** Heavy-Duty impact resistant carrying case with metal latches.	6515-27 • 1109-24 • 3109-24 • 5361-24
	1/2" KEYLESS CHUCKS	48-66-0365	1/2" keyless chuck.	0521-20 • 0521-21 • 0521-22• 0522-20 • 0522-21• 0522-22 • 0522-25
		48-66-0600	1/2" keyless chuck.	1108-20 • 1108-21 • 3108-21 • 1109-20 • 1109-21 • 3109-21
		48-66-0020	1/2" keyless chuck.	0523-20 • 0523-22 • 0524-20 • 0524-22
	1/2" ALL-METAL KEYLESS CHUCK	48-66-1375	**NEW** 1/2", two sleeve, keyless chuck, with 1/2-20 thread.	0522-24 • 0524-24 1109-24 • 1109-24 • 3109-24
	DRILL WRIST STRAP	49-17-0425	Heavy-Duty nylon strap attaches to handle of drills listed at right.	All 18 Volt Power-Plus Driver/Drills and Hammer-Drills

POWER-PLUS 18 VOLT WORK LIGHT

49-24-0160

- Rugged construction for industrial use.
- Xenon bulb produces extremely bright, uniform light.
- Up to 3 hours of illumination per charge.
- 120° pivoting head and 2-position hook.

VOLTS DC	BRIGHTNESS (LUX)	MAX. RUN TIME (MIN./CHARGE)	LENGTH (IN.) HEAD UP	HEAD DOWN
18	365	180	11.6	9.6

CONTRACTOR BAGS

Made of tough, water resistant, 600 denier material. Provide extra storage for job-site tools and accessories, shoulder strap with all-metal clamps for durability. 4 different sizes.

NEW 48-55-3490 17"l x 9"w x 10"h
NEW 48-55-3500 20.5"l x 9"w x 8"h
NEW 48-55-3510 18"l x 11"w x 10"h
NEW 48-55-3520 20.5"l x 11"w x 10"h

UNIVERSAL CORDLESS DRILL HOLSTER

NEW 49-17-1050

For use with all t-handle and pistol grip drills.

18 VOLT SYSTEM

THE WORLD'S FIRST CORDLESS SAWZALL!

POWER-PLUS NOW WITH 2.4 AMP HR BATTERY!



6515-27* NEW!
INCLUDES 2.4 AMP-HR BATTERY PACK, CHARGER, 2-BLADE PACK, AND IMPACT RESISTANT CARRYING CASE

6515-21*
INCLUDES 2.0 AMP-HR BATTERY PACK, CHARGER, 2-BLADE PACK, AND STEEL CARRYING CASE

6515-22*
INCLUDES TWO 2.0 AMP-HR BATTERY PACKS, CHARGER, 2-BLADE PACK, AND STEEL CARRYING CASE

*TOOL AVAILABLE WITHOUT BATTERY, CHARGER OR CASE. SEE "-20" MODEL IN SPECS CHART BELOW



1. HEAVY-DUTY STEEL QUIK-LOK BLADE CLAMP** SYSTEM FOR FAST EASY BLADE CHANGES
2. SOFT GRIPPING AREA FOR ADDED COMFORT
3. LOCK-OFF SWITCH TO PREVENT INADVERTENT TOOL TURN ON
4. TRIGGER SPEED CONTROL FOR THE BEST OPERATOR CONTROL
5. 18 VOLT, 2.4 AMP-HR BATTERY DELIVERS LONGEST RUN TIME. COMPATIBLE WITH ALL OTHER MILWAUKEE 18V PRODUCTS. (6515-27)
6. RARE EARTH, PERMANENT MAGNET MOTOR DELIVERS HIGH TORQUE FOR TOUGH CUTTING APPLICATIONS
7. STEEL WOBBLE PLATE MECHANISM FOR LONG LIFE AND HIGH EFFICIENCY
8. PIVOT SHOE FOR MAXIMUM SUPPORT AGAINST WORK SURFACE

THE 18 VOLT 2.4 AMP-HR SYSTEM!

Use the same Battery and Charger with all of these tools in the 18 Volt Power-Plus System. Sawzall, Rotary Hammer, D-Handle Drill, 6-1/2" Circular Saw, 1/2" Reversing Right Angle Drill, 1/2" Driver/Drill, 1/2" Hammer-Drill and Work Light.



STEP UP TO CONTRACTOR CORDLESS

CORDLESS 18 VOLT POWER-PLUS SAWZALL®

WITH STEEL QUIK-LOK™ BLADE CLAMP**

MADE IN THE USA

THE 18 VOLT CORDLESS SAWZALL IS AN ESSENTIAL TOOL FOR: HVAC CONTRACTORS, PLUMBERS, ELECTRICIANS, MAINTENANCE WORKERS AND REMODELERS

- **Cuts Up To 72 2x4's On A Single Charge** (With 2.4 amp-hr battery.)
- **18 Volt, 2.0 Amp-Hr, Power-Plus Battery** Delivers more run time and is compatible with all other MILWAUKEE 18 volt products.
- **Power-Plus Universal Charger** Recharges batteries in 1 hour. This charger is compatible with ALL Power-Plus batteries.
- **Powerful 18 Volt Rare Earth Motor Easily Handles All Sawzall Applications**
- **Heavy-Duty Steel Quik-Lok™ Blade Clamp**** For fast, easy blade change.
- **Fully Serviceable Replaceable Brushes**
- **Accepts Standard 1/2" Shank Sawzall Blades**
- **Trigger Speed Control, Lock-Off Switch**
- **0-2000 SPM,**
- **Reverse The Blade For Cutting Upside Down In Confined Areas**
- **Pivot Shoe For Maximum Support Against Work Surface**

EXCLUSIVE 6515-27 FEATURES

- **18 Volt, 2.4 Amp-Hr, Power-Plus Battery** Delivers the most run time and is compat-ible with all other MILWAUKEE 18 volt products.
- **Heavy-Duty Impact Resistant Carrying Case**

WITH 2.4 AMP-HR BATTERY: THIS SAWZALL, ON ONE CHARGE, WILL ALSO CUT UP TO:

- **125 Schedule 40 1-1/2" Diameter PVC Pipe**
- **15 Roof Vents – 5/8" Thick 6" In Diameter**
- **20 3/4" Schedule 40 Galvanized Steel Pipe**

NEW HEAVY-DUTY STEEL QUIK-LOK BLADE CLAMP**

- **For Fast Easy Blade Changes**
- **No Hex Key To Lose or Screws to Strip**
- **Built In Heat Shield Keeps Blade Clamp Cool For Blade Changes**
- **Accepts Standard 1/2" Shank Sawzall Blades**

** Patent Pending

SPECIFICATIONS

CATALOG NUMBER	VOLTS DC	NO. OF BATTERIES INCLUDED	BATTERY CAPACITY AMP-HRS	LENGTH OF STROKE	STROKES PER MINUTE	OVERALL LENGTH	NET WGT. LBS.	SHIP. WGT LBS.
• 6515-20	18	0	NA	1"	0-2000	18.25"	6.54	7.1
6515-21	18	1	2.0	1"	0-2000	18.25"	8.25	19.75
6515-22	18	2	2.0	1"	0-2000	18.25"	8.25	20.5
6515-27	18	1	2.4	1"	0-2000	18.25"	8.25	17.0

STANDARD EQUIPMENT: FOR 6515-20• – Includes Power-Plus Sawzall. **FOR 6515-21–** Includes Power-Plus Sawzall, Power-Plus Universal One-Hour Charger, One 18 Volt Power-Plus Battery, Super Sawzall Two-Blade Pack and Steel Carrying Case. **FOR 6515-22** – Includes Power-Plus Sawzall, Power-Plus Universal One-Hour Charger, Two 18 Volt Power-Plus Batteries, Super Sawzall Two-Blade Pack and Steel Carrying Case. **FOR 6515-27–** Includes Power-Plus Sawzall, Power-Plus Universal One-Hour Charger, One 18 Volt 2.4 Amp-Hr Power-Plus Battery, Super Sawzall Two-Blade Pack and Impact Resistant Carrying Case.

• Tool only, less battery, charger and case.

ACCESSORIES

18 VOLT POWER-PLUS BATTERY PACKS

48-11-2200 18 Volt, 2.0 Amp-Hr

48-11-2230 **NEW** 18 Volt, 2.4 Amp-Hr

POWER-PLUS ONE-HOUR UNIVERSAL CHARGER

48-59-0245 **NEW** Charges 18 Volt 2.0 Amp-Hr batteries in 1 hour. Compatible with **ALL** MILWAUKEE Power-Plus batteries.

POWER-PLUS ONE-HOUR VEHICLE CHARGER

48-59-0184 **NEW** Plugs into vehicle's cigarette lighter. Compatible with **ALL** MILWAUKEE Power-Plus batteries, including NiCad and NiMH.

CARRYING CASES

48-55-1516 Steel 18V Sawzall carrying case.

48-55-3050 **NEW** Impact resistant carrying case.